

SHARP

In step with your future.



An elegant
*blend of technology
and style*

Product
Catalogue *2026*


AN EMBLEM OF

**SHARP'S INNOVATION
AND TENACITY**



BUSINESS PHILOSOPHY

We do not seek merely to expand our business volume. Rather, we are dedicated to the use of our unique, innovative technology to contribute to the culture, benefits and welfare of people throughout the world. It is the intention of our corporation to grow hand-in-hand with our employees, encouraging and aiding them to reach their full potential and improve their standard of living. Our future prosperity is directly linked to the prosperity of our customers, dealers and shareholders ...indeed, the entire Sharp family.



BUSINESS CREED

Sharp Corporation is dedicated to two principal ideals:
"Sincerity and Creativity"

Sincerity is a virtue fundamental to humanity ...
always be sincere Harmony brings strength ... trust
each other and work together. Politeness is a merit ...
always be courteous and respectful.

Creativity promotes progress ... remain constantly
aware of the need to innovate and improve. Courage is
the basis of a rewarding life ... accept every challenge
with a positive attitude.






A PASSION PASSED DOWN FROM OUR FOUNDER

"Make products that others want to imitate." words of Sharp founder Tokuji Hayakawa. This philosophy of innovating for society has guided Sharp for over 110 years, driving us to create era-defining products and earn lasting trust across generations.

WE BUILD THE *EXTRAORDINARY*



Scan to know more

Plasmacluster Technology

Plasmacluster ions are the same type of positive and negative ions that occur in nature. This proprietary SHARP technology purifies air, and it has been proven safe to humans no matter the ion concentration. Highly concentrated levels of Plasmacluster ions have been proven to purify air, eliminate odors, moisten facial skin, and reduce static electricity. Plasmacluster ions keep people and the air around them healthy. SHARP is constantly developing new ways that Plasmacluster can bring benefits to the society.

Credentials

SHARP's unique & one-of-a kind technologies is verified by over 35 Global labs

SHARP

Main Overseas Production Bases

- Main production bases
- Sharp India HO

China

- NSEC** Nanjing Sharp Electronics Co., Ltd.
- WSEC** Wuxi Sharp Electronic Components Co., Ltd.
- SOCC** Sharp Office Equipments (Changshu) Co., Ltd.
- SSEC** Shanghai Sharp Electronics Co., Ltd.
- DBH** Dynabook Technology (Hangzhou) Inc.

Asia

- SMTL** Sharp Manufacturing (Thailand) Co., Ltd.
- SATL** Sharp Appliances (Thailand) Ltd.
- SMM** Sharp Manufacturing Corporation (M) Sdn. Bhd.
- SNM** Sharp North Malaysia Sdn. Bhd.
- SPC** Sharp (Phils.) Corporation
- SEID** P.T. Sharp Electronics Indonesia
- SSI** P.T. Sharp Semiconductor Indonesia
- SSTEC** Saigon Stec Co., Ltd.
- SMV** Sharp Manufacturing Vietnam Co., Ltd.

Europe

- SCEP** Sharp Consumer Electronics Poland Sp. z o.o.
- SUKM** Sharp Manufacturing Company of U.K.

Note: SUKM is a business unit of Sharp Electronics (Europe) Limited, which oversees Sharp business in Europe.

Americas

- SHCA** Sharp Home Electronics Company of America

Note: SHCA is the consumer products division of Sharp Electronics Corporation (SEC), Sharp's U.S. sales subsidiary.

SUKM (Wrexham, U.K.)

Main product: Microwave ovens

SCEP (Torun, Poland)

Main product: TVs

SMTL (Nakornpathom, Thailand)

Main product: MFPs

SATL (Chachoengsao, Thailand)


Main product: Home appliances

SNM (Kedah, Malaysia)

Main product: Audio products

SMM (Johor, Malaysia)

Main product: TVs





7 Shield Protection

All SHARP products pass through the strict Japanese quality standard. SHARP products are proven to have safe operation and high endurance under various circumstances. Now you can enjoy your life with good quality products that are protected by 7 Shields.



FIRE SHIELD

6-Sided All-Metal Enclosure

The design of the metal enclosure for the inverter's outdoor circuit board meets USA safety standards (UL Standard).

Additional Electrical Coating

The circuit board has a protective coating that improves electrical insulation and reduces the risk of sparks and fire.

Safety Terminal Board

To ensure safety, the power supply is cut off if the temperature surrounding the terminal board becomes too high.



SQUALL SHIELD

Wind - and Rainproof Casing

The durable design of Sharp air conditioners protects them from damage brought on by the winds and rain that can occur during downpours and thunderstorms.



LIGHTNING SHIELD

Lightning Protection Circuit

Sharp uses a lightning protection circuit to keep the product safe from power surges and voltage spikes, ensuring it stays protected during sudden electrical changes.



VOLTAGE SHIELD

230 V Operation

Sharp air conditioners can provide operation at a low voltage of just 230 V, even in areas with unstable voltage.



CORROSION SHIELD

Micro-Channel Heat Exchanger

The copper heat exchangers used in Sharp air conditioners are resistant to corrosion, ensuring reliability and energy efficiency.



VIBRATION SHIELD

Connectors with Locks

To ensure safe operation, all Sharp air conditioners use high-quality, Japanese-brand connectors.

Vibration Tests


Sharp conducts vibration tests to ensure that the quality of Sharp air conditioners will not be affected by even the roughest handling during delivery.



DAMAGE SHIELD

Drop Tests

Sharp conducts drop tests to determine how well its packaging can stand up to impact and protect the product inside from delivery-related damage.



Ever-Ready Sharp Pencil

Tokuji Hayakawa invented the unique mechanical pencil, starting Sharp's journey of innovation.

Japan's First Crystal Radio

Founder Hayakawa and his associates make history as they succeed in assembling Japan's first crystal radio.

Japan's First TV Set

Sharp produces Japan's first TV sets in the market.

1915

1925

1952

Sharp's Washing Machine with Dryer

Sharp released a single unit incorporating a washing machine and a dryer.

World's First Microwave with Sensor

Sharp introduces the first microwave in the world with a sensor for automatic cooking.

1987

1979

First Dual-Swing Refrigerator

Sharp introduced the industry's first dual-swing refrigerator with a door that opened from both the sides.

Sharp's First Fully Automatic Washing Machine

Sharp introduced a fully automatic washing machine that used air bubbles to clean.

1989

1991

1st RAC with Long Panel Technology

Sharp enhanced airflow with Long Panel Technology, improving energy efficiency and user comfort.

Sharp's First Refrigerator with a Warm Compartment

Sharp released the first refrigerator in the industry with a special compartment to keep dishes warm.

2007

2005

Sharp Releases Products Compatible with AIoT

Sharp's introduces AIoT compatible products that use AI-powered services to make users' lives easier.

1st "AIREST" Air Purifier in Air-Conditioner

Sharp introduced the "AIREST" air purifier function in air conditioners, elevating air quality.

2016

2019



Water-cooled Air Conditioner

Sharp introduced its first water-cooled air conditioner, marking its entry into the AC market.

Japan's 1st Home Microwave Oven

Sharp introduces the first home microwave oven with a turntable and a window for monitoring food.

1958

1966

Sharp's Innovative Refrigerator

Sharp introduces a refrigerator with the most frequently used compartments located at the top.

Sharp's 1st Split AC

The first split air conditioner was launched by Sharp, revolutionizing home cooling solutions.

1978

1968

Sharp's First CFC- Free Refrigerator

Sharp introduced a newly developed non-CFC vacuum insulation refrigerator.

1st RAC with 5 Functions

Sharp introduced an air conditioner with five essential functions: cooling, heating, humidification, dehumidification, and ventilation.



1993

1996

1st RAC with Plasmacluster Ion Technology

Sharp's first air conditioner featuring Plasmacluster Ion technology for cleaner air and healthier environments.

First Camera-Equipped Mobile Phone

Sharp introduced the first mobile phone to feature a camera with the ability to email the photos instantly.

2003

2000

Sharp India Launches Semi-Automatic Washing Machine

Sharp introduced its Semi-Automatic Washing Machine in India.

Sharp AC Re-launched in India

Sharp re-entered the Indian market with a new range of air conditioners, bringing decades of innovation and quality.

Expanding the Ac Portfolio in India

Expanding in India to deliver advanced cooling solutions for every Indian home.

India 1st Window AC with active Air Purifier

Redefining window ACs with active air purification, India's first to deliver cooling and cleaner air together.

2024

2025

2026





Air Conditioners

THE ESSENCE OF LIVING WELL

Experience a refreshing coolness that sets the perfect atmosphere to unwind. Sharp Air Conditioners envelop both body and mind in a soothing sense of comfort and well-being.

The art *of* cooling





REIRYOU SERIES

AH-SI12V3B-SCN 0.95t Ton, 3 Star Cooling Capacity: 3500	AH-SI17V3B-SCN 1.37 Ton, 3 Star Cooling Capacity: 4800	AH-SI18V3B-SCN 1.42 Ton, 3 Star Cooling Capacity: 5000	AH-SI17V5B-SCN 1.34 Ton, 5 Star Cooling Capacity: 5100	AH-SI18V5B-SCN 1.48 Ton, 5 Star Cooling Capacity: 6000	AH-SI24V3B-SCN 1.76 Ton, 3 Star Cooling Capacity: 6200
---	--	--	--	--	--





SEIRYO / REIRYOU SERIES

AH-SI19V3B-SC 1.5 Ton, 3 Star Cooling Capacity: 5000	AH-SI18V5B-SC 1.5 Ton, 5 Star Cooling Capacity: 5210	AH-SI12V3B-GC 1.0 Ton, 3 Star Cooling Capacity: 3350	AH-SI18V3B-GC 1.5 Ton, 3 Star Cooling Capacity: 4700	AH-SI19V3B-GC 1.5 Ton, 3 Star Cooling Capacity: 5000	AH-SI24V3B-GC 2.0 Ton, 3 Star Cooling Capacity: 6270	AH-SI18V5B-GC 1.5 Ton, 5 Star Cooling Capacity: 4700
--	--	--	--	--	--	--





Heavy-Duty
Performance



Turbo Cool



4-in-1
Convertible



Cools at 52°



Hi Tech Inverter



Touch Display with
Precision Temp




4 Way
Auto Swing



Coanda
Air Flow

涼風
RYOHU
(PURE COOL AIR)



WINDOW AC TOP THROW SERIES

AF-TA18V3X-GCP
1.45 Ton, 3 Star
Cooling Capacity: 5100

AF-TA18V5X-GCP
1.45 Ton, 5 Star
Cooling Capacity: 5100

AF-TA18V3X-HCP
1.45 Ton, 3 Star
Cooling Capacity: 5100

AF-TA18V5X-HCP
1.45 Ton, 5 Star
Cooling Capacity: 5100





Anti - Corrosion
Coating



Low Noise



Turbo Cool



Dust Filter



100% Copper



Heavy-Duty
Performance



Cools at 52°




Energy Saving
Mode



Long Air Throw

涼風
RYOHU-FS
(PURE AUTUMN BREEZE)



WINDOW AC FS SERIES

AF-WA18F3X-SCN
1.41 Ton, 3 Star
Cooling Capacity: 4950

AF-WA22F2X-SCN
1.70 Ton, 2 Star
Cooling Capacity: 5975


TECHNICAL SPECIFICATIONS 2026



SERIES		冷凍 REIRYOU						
		     						
	MODEL CODE		AH-SI12V3B-SCN	AH-SI17V3B-SCN	AH-SI18V3B-SCN	AH-SI17V5B-SCN	AH-SI18V5B-SCN	AH-SI24V3B-SCN
	TYPE OF AC		SPLIT AIR CONDITIONER					
	PARAMETERS	UNITS	12K 3" INV	17K 3" INV	18K 3" INV	17K 5" INV	18K 5" INV	24K 3" INV
Clasification	Tonnage	Details	0.95	1.37	1.42	1.34	1.48	1.8
	Star Rating : As per New BEE Guideline	Details	3 Star	3 Star	3 Star	5 Star	5 Star	3 Star
	ISI Approval (IS 1391 Part1/ Part 2): Complete Product	Details	Yes	Yes	Yes	Yes	Yes	Yes
	RoHS : Product & Accessories	Yes/ No	Yes	Yes	Yes	Yes	Yes	Yes
Operating Conditions	Rated Voltage, Frequency, Phase	V,Hz,Ph	AC 230V, 50 Hz, 1Ph	AC 230V, 50 Hz, 1Ph	AC 230V, 50 Hz, 1Ph	AC 230V, 50 Hz, 1Ph	AC 230V, 50 Hz, 1Ph	AC 230V, 50 Hz, 1Ph
	Withstanding Voltage , Frequency, Phase	V,Hz,Ph (±5%)	AC 155 - 285V, 50 Hz, 1Ph	AC 155 - 285V, 50 Hz, 1Ph	AC 155 - 285V, 50 Hz, 1Ph	AC 155 - 285V, 50 Hz, 1Ph	AC 155 - 285V, 50 Hz, 1Ph	AC 155 - 285V, 50 Hz, 1Ph
	Withstanding Operating conditions : IDU	°C	16 - 31 °C	16 - 31 °C	16 - 31 °C	16 - 31 °C	16 - 31 °C	16 - 31 °C
	Withstanding Operating conditions : ODU	°C	18 - 55 °C	18 - 55 °C	18 - 55 °C	18 - 55 °C	18 - 55 °C	18 - 55 °C
	Cooling Area	m2	8 - 9	11 - 14	11 - 14	11 - 14	11 - 14	15 - 18
	IDU & ODU Max Installation Distance	m	15	15	15	15	15	15
Cooling	IDU & ODU Max Vertical Installation Distance	m	5	5	5	5	5	5
	Capacity at 100% of full capacity	W	3350	4800	5000	4700	5210	6200
	Capacity at 50% of full capacity	m	1675	2400	2500	2350	2605	3100
	ISEER	kWh / kWh	4.35	4.35	4.35	5.65	5.65	4.35
MAX Capacity	Cooling Input Current	A (±5%)	4.60	6.4	9.7	TBC	TBC	8.5
	Max Cooling Capacity	W	3500	5000	5475	5100	6000	6600
	Max Heating Capacity	W	NA	NA	NA	NA	NA	NA
IDU General	Indoor side air flow (Max)	m3/h (±5%)	507.29	836.09	932.41	969.82	1266.78	1122.74
	Indoor side noise level : Turbo/Hi/Mi/Low	dB(A) (±5%)	42/40/35/32	48/46/42/35	48/46/42/35	48/46/42/35	48/46/44/39	48/46/44/39
	Dimensions : L*W*H	mm (±10)	770 x 250 x 205	900 x 294 x 206	900 x 294 x 206	1010 x 316 x 220	1010 x 316 x 220	1010 x 316 x 220
	Packing : L*W*H	mm (±10)	846 x 321 x 269	990 x 375 x 287	990 x 375 x 287	1096 x 390 x 297	1096 x 390 x 297	1096 x 390 x 297
	Weight : Net & Gross	Kg (±5%)	9 [10]	11 [13]	11 [13]	14 [16]	14 [16]	14 [16]
	Refrigerant/Nitrogen Filled in IDU during Production : Details , Qty	Details, Gram	R32	R32	R32	R32	R32	R32
IDU Fan motor	Motor Type : AC /BLDC	Details	DC	DC	DC	DC	DC	DC
IDU Evaporator	Fin Type : Slit/Louvered, Hydrophilic, Fin colour	Details	Slit, Hydrophilic, Gold Fins	Slit, Hydrophilic, Gold Fins	Slit, Hydrophilic, Gold Fins	Slit, Hydrophilic, Gold Fins	Slit, Hydrophilic, Gold Fins	Slit, Hydrophilic, Gold Fins
	Fin Material	Details	Al	Al	Al	Al	Al	Al
IDU PCB	Display PCB : LCD Display/ 7Seg Display/ LED indicators	Details	LCD Display	LCD Display	LCD Display	LCD Display	LCD Display	LCD Display
IDU Other	Filter Type : Inbuilt Dust Filter type, IS comply, Add on Filters types	Details	Dust Filter : HD Filter, ISI approved	Dust Filter : HD Filter, ISI approved	Dust Filter : HD Filter, ISI approved	Dust Filter : HD Filter, ISI approved	Dust Filter : HD Filter, ISI approved	Dust Filter : HD Filter, ISI approved
	Connecting wire between IDU & ODU : Length, Nos of Core, Thickness of each core	Details	3.5 m-4 Core, 1 mm sq., ISI approved	3.5 m - 4 Core, 1.5 mm sq, ISI approved	3.5 m - 4 Core, 1.5 mm sq, ISI approved	2, IDU Air In & Eva Tube	2, IDU Air In & Eva Tube	3.5 m - 4 Core, 1.5 mm sq, ISI approved
ODU General	Max Outdoor side Noise level	dB(A) (±5%)	52	53	53	53	53	53
	Dimension : L*W*H	mm (±10)	728 x 256 x 553	780 x 292 x 603	780 x 292 x 603	780 x 292 x 603	780 x 292 x 603	780 x 292 x 603
	Packing : L*W*H	mm (±10)	845 x 340 x 615	890 x 385 x 650	890 x 385 x 650	890 x 385 x 650	890 x 385 x 650	780 x 292 x 603
	Weight : Net, Gross	Kg (±5%)	24 [26]	28 [30]	28 [30]	30 [32]	30 [32]	31/[33]
Compressor	Compressor Type	Details	Single rotary	Single rotary	Single rotary	Single rotary	Single rotary	Single rotary
	Type : Fixed speed / Inverter	Details	Inverter	Inverter	Inverter	Inverter	Inverter	Inverter
ODU Fan Motor	Motor Type : AC/BLDC	Details	BLDC	BLDC	BLDC	BLDC	BLDC	BLDC
	Motors Mechanical output Wattage	Watt	33W	33W	33W	33W	33W	33W
	Outdoor Fan speed	R/min	1000	1000	1000	1000	1000	1000
	Thermal protector	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
Remote	RF / IR Based	Details	IR	IR	IR	IR	IR	IR
	Display	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
Features	Golden Hydrophilic Fin : Evaporator	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
	Golden Hydrophilic Fin : Condenser	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
	LCD Remote	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
	LCD Remote screen with Backlight	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
	Sleep mode	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
	Timer Mode	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
	Fan Mode	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
	Fan Mode	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
	Dry Mode	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
	Turbo Mode	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
	ECO Mode	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
	Display ON-OFF	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
	Variable Capacity : No of Modes, Percentage	Details	7 in 1	7 in 1	7 in 1	7 in 1	7 in 1	7 in 1
	Self Diagnosis	Details	7 in 1	7 in 1	7 in 1	7 in 1	7 in 1	7 in 1
	Gas leakage/ Low Gas Detection	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
	Auto Restart Protection	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
	100 % Copper	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
	Hidden Display	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
	4 Way Swing	Yes/No	Yes	Yes	Yes	Yes	Yes	Yes
	ODU Works at Ambient Temp Upto	Yes/No	Details 18°C - 55 °C	18°C - 55 °C	18°C - 55 °C	18°C - 55 °C	18°C - 55 °C	18°C - 55 °C

TECHNICAL
SPECIFICATIONS 2025


SERIES			冷涼 REIRYOU 清涼 SEIRYO						
									
MODEL NAME			AH-SI19V3B-SC	AH-SI18V5B-SC	AH-SI12V3B-GC	AH-SI18V3B-GC	AH-SI19V3B-GC	AH-SI24V3B-GC	AH-SI18V5B-GC
SEGMENT			1.5T 3 STAR	1.5T 5 STAR	1.0T 3 STAR	1.5T 3 STAR	1.5T 3 STAR	2.0T 3 STAR	1.5T 5 STAR
TYPE			COOL ONLY	COOL ONLY	COOL ONLY	COOL ONLY	COOL ONLY	COOL ONLY	COOL ONLY
CONTROL TYPE			REMOTE	REMOTE	REMOTE	REMOTE	REMOTE	REMOTE	REMOTE
RATED COOLING CAPACITY - FULL LOAD W			5000	5210	3350	4700	5000	6270	4700
RATED COOLING CAPACITY - HALF LOAD W			2500	2605	1675	2350	2500	3135	2605
RATED POWER - FULL LOAD W			1705	1315	1072	1579	1705	2035	1315
RATED POWER - HALF LOAD W			573	460	396	559	573	757	460
ISEER FOR COOLING W/W			3.9	5.15	3.95	3.85	3.9	3.88	5.15
INDOOR NOISE LEVEL(S/H/M/L/MUTE) dB(A)			32 ± 2 (low)	39 ± 2 (low)	32 ± 2 (low)	35 ± 2 (low)	35 ± 2 (low)	39 ± 2 (low)	39 ± 2 (low)
OUTDOOR NOISE LEVEL dB(A)			52 ± 2	54 ± 2	52 ± 2	52 ± 2	52 ± 2	54 ± 2	54 ± 2
POWER SUPPLY			230V~/50Hz/1P	230V~/50Hz/1P	230V~/50Hz/1P	230V~/50Hz/1P	230V~/50Hz/1P	230V~/50Hz/1P	230V~/50Hz/1P
VOLTAGE RANGE V			155-285	155-285	155-285	155-285	155-285	155-285	155-285
ANNUAL ENERGY CONSUMPTION(COOLING) kwh			993.57 Units Per Year	782.92 Units Per Year	657.31 Units Per Year	946.17 Units Per Year	946.17 Units Per Year	1252.53 Units Per Year	782.92 Units Per Year
INDOOR AIR CIRCULATION(COOLING/HEATING) m3/h			800	1050	460	800	800	1050	1050
REFRIGERANT/CHARGE kg			R-32, 0.5	R-32, 0.7	R-32, 0.42	R-32, 0.48	R-32, 0.48	R-32, 0.74	R-32, 0.7
COMPRESSOR TYPE			Single Rotary	Single Rotary	Single Rotary	Single Rotary	Single Rotary	Single Rotary	Single Rotary
OPERATION TEMPERATURE RANGE °C			16°C ~ 55°C	16°C ~ 55°C	16°C ~ 55°C	16°C ~ 55°C	16°C ~ 55°C	16°C ~ 55°C	16°C ~ 55°C
NET DIMENSIONS (W X D X H)	INDOOR	mm	900 x 294 x 206	1010 x 316 x 220	770 x 250 x 205	900 x 294 x 206	900 x 294 x 206	1010 x 315 x 220	1010 x 316 x 220
	OUTDOOR	mm	780 x 292 x 603	780 x 292 x 603	728 x 256 x 553	780 x 292 x 603	780 x 292 x 603	780 x 292 x 603	780 x 292 x 603
NET WEIGHT	INDOOR	kg	11	13	8.5	10.5	11	14	13
	OUTDOOR	kg	25.5	29	21.5	24	25.5	30	29
PACKING DIMENSIONS (W X D X H)	INDOOR	mm	990 x 375 x 287	1096 x 390 x 297	846 x 321 x 269	990 x 375 x 287	990 x 375 x 287	1096 x 390 x 297	1096 x 390 x 297
	OUTDOOR(W/O PIPE)	mm	890 x 385 x 650	890 x 385 x 650	845 x 340 x 615	890 x 385 x 650	890 x 385 x 650	890 x 385 x 650	890 x 385 x 650
GROSS WEIGHT	INDOOR	kg	12.5	16	10	12	12.5	16	16
	OUTDOOR(W/I PIPE)	kg	28	32	24	26	28	32.5	32
FIN			Gold Fin	Gold Fin	Gold Fin	Gold Fin	Gold Fin	Gold Fin	Gold Fin
SWING			2 Way	2 Way	2 Way	2 Way	2 Way	2 Way	2 Way
REFRIGERANT			R-32	R-32	R-32	R-32	R-32	R-32	R-32
AUTO RESTART / TURBO MODE			Yes	Yes	Yes	Yes	Yes	Yes	Yes
SELF CLEANING / ECO MODE			Yes	Yes	Yes	Yes	Yes	Yes	Yes
REFRIGERANT LEAKAGE DETECTION			Yes	Yes	Yes	Yes	Yes	Yes	Yes
CONVERTIBLE			7 in 1	7 in 1	5 in 1	5 in 1	5 in 1	5 in 1	5 in 1
SLEEP MODE			Yes	Yes	Yes	Yes	Yes	Yes	Yes
EVA COIL U BEND NANO TEK COATING			Yes	Yes	Yes	Yes	Yes	Yes	Yes
COOLING			55 degree cooling	55 degree cooling	55 degree cooling	55 degree cooling	55 degree cooling	55 degree cooling	55 degree cooling
CONDENSER			Copper	Copper	Copper	Copper	Copper	Copper	Copper



TECHNICAL SPECIFICATIONS 2026



SERIES			涼風 RYOHU (PURE COOL AIR) FIXED SPEED AC		涼風 RYOHU (PURE COOL AIR) INVERTER AC			
Model Name			AF-WA18F3X-SCN	AF-WA22F2X-SCN	AF-TA18V3X-HCP	AF-TA18V5X-HCP	AF-TA18V3X-GCP	AF-TA18V5X-GCP
Facia								
Tonnage		As per BEE 2026	1.41	1.70	1.45	1.45	1.45	1.45
		BEE RATING						
Performance	Cooling Capacity	WATT	4950	5975	5100	5100	5100	5100
	ISEER		3.37	3.18	3.49	3.81	3.49	3.81
	Star		3	2	3	5	3	5
	Power Consumption	WATT	1137.94	1454.55	1130.81	1037.03	1130.81	1037.03
	Power Supply		230V/50Hz/1Ph	230V/50Hz/1Ph	230V/50Hz/1Ph	230V/50Hz/1Ph	230V/50Hz/1Ph	230V/50Hz/1Ph
Compressor	Make		GMCC	GMCC	GMCC	GMCC	GMCC	GMCC
Outdoor Motor			PICL-11189	PICL-10060	57W	57W	57W	57W
Evaporator			3R/7mm/27HP	3R/7mm/27HP	3R/7mm/18HP	3R/7mm/23HP	3R/7mm/18HP	3R/7mm/23HP
Indoor Noise	(Low Speed)	dBa	53	57	46	46	46	46
EEV/Capi.			Capillary	Capillary	Capillary	Capillary	Capillary	Capillary
Condenser			2R 5mm , 20HP , 704mm	2R 7mm , 18HP , 883mm	2R 5mm , 20HP , 704mm	2R 5mm , 24HP , 704mm	2R 5mm , 20HP , 704mm	2R 5mm , 24HP , 704mm
Outdoor Motor	Model		Common	Common	BLDC	BLDC	BLDC	BLDC
Outdoor Noise Level dB		dBa	60	62	58	58	58	58
Refrigerant			R32	R32	R32	R32	R32	R32
Air Flow (Full Capacity/Half capacity)		m3/min	12.82	15.6	13.77/16.97	10.69/13.04	13.77/16.97	10.69/13.04
Plasma Cluster Ions (PCI)			NO	NO	NO	NO	YES	YES
	Convertible		NO	NO	4 in 1 (40%, 60%, 80%, 100%)	4 in 1 (40%, 60%, 80%, 100%)	4 in 1 (40%, 60%, 80%, 100%)	4 in 1 (40%, 60%, 80%, 100%)
	Swing		2 Way	2 Way	4 Way	4 Way	4 Way	4 Way
	Works at Ambient Temp Upto		52 Degree	52 Degree	52 Degree	52 Degree	52 Degree	52 Degree
IDU Net Dimension	(W * D * H)	mm	660x660x430	660x750x430	660x750x430	660x750x430	660x750x430	660x750x430
Net Weight		KG	53	58	41	43	41	43
Package Dimension	(W * D * H)	mm	745x745x535	745x810x535	745x745x575	745x745x575	745x745x575	745x745x575
Gross Weight		KG	58	63	46	48	46	48
Warranty	Product	Months	12	12	12	12	12	12
Warranty	Compressor	Months	60	60	120	120	120	120





DOUBLE-DOOR GLASS REFRIGERATORS

SHEER ELEGANCE
IN EVERY DETAIL

Double-Door Glass Refrigerator



Wave Maroon

SJ-FF335V2-GMW

GROSS CAPACITY: 306L

NET CAPACITY: 285L

- Hi-tech Inverter
- Active Deodoriser
- Stabiliser Free Operation
- Big Vegetable Box
- Fast Ice Making
- Recess Handle
- Toughened Glass Shelves
- Connect Home Inverter



Galaxy Storm

SJ-FF305V2-GKG

GROSS CAPACITY: 285L

NET CAPACITY: 265L

- Hi-tech Inverter
- Active Deodoriser
- Stabiliser Free Operation
- Big Vegetable Box
- Fast Ice Making
- Recess Handle
- Toughened Glass Shelves
- Connect Home Inverter



Double-Door Refrigerator



Coffee Hairline

SJ-FF335V2-PCH

GROSS CAPACITY: 306L

NET CAPACITY: 285L

- Hi-tech Inverter
- Active Deodoriser
- Stabiliser Free Operation
- Big Vegetable Box
- Fast Ice Making
- Recess Handle
- Toughened Glass Shelves
- Connect Home Inverter



Silver Hairline

SJ-FF305V2-PSH

GROSS CAPACITY: 285L

NET CAPACITY: 265L

- Hi-tech Inverter
- Active Deodoriser
- Stabiliser Free Operation
- Big Vegetable Box
- Fast Ice Making
- Recess Handle
- Toughened Glass Shelves
- Connect Home Inverter





Single Glass Door Refrigerator REFLECTS THE PERFECTION THAT'S YOU

Our refrigerators don't just work the best, they boast a look to match. An exquisite glass finish on the front door makes for a sight to behold. A mirror finish refrigerator is better than a dull one. Isn't it!

Single Glass Door Refrigerator



Mystic Glow

SJ-DF225N2-GKY

GROSS CAPACITY: 203L

NET CAPACITY: 197L

- Glass Door Finish
- Toughened Glass Shelves
- 21L Vegetable Basket
- Ag Shield
- Anti Fungal Door Gasket



Paradise Blossom

SJ-DF207N2-GMP/GKG

GROSS CAPACITY: 193L

NET CAPACITY: 187L

- Glass Door Finish
- Toughened Glass Shelves
- 21L Vegetable Basket
- Ag Shield
- Anti Fungal Door Gasket

AVAILABLE COLOR



Galaxy Storm





Crimson Aura

NEW

SJ-DW215N4-GMA

GROSS CAPACITY: 193L

NET CAPACITY: 190L

- Glass Door Finish
- Toughened Glass Shelves
- 21L Vegetable Basket
- Ag Shield
- Anti Fungal Door Gasket



Amber Gold

NEW

SJ-DW215N4-GKD

GROSS CAPACITY: 193L

NET CAPACITY: 190L

- Glass Door Finish
- Toughened Glass Shelves
- 21L Vegetable Basket
- Ag Shield
- Anti Fungal Door Gasket



Velvet Blossom

NEW

SJ-DW215N4-GBV

GROSS CAPACITY: 193L

NET CAPACITY: 190L

- Glass Door Finish
- Toughened Glass Shelves
- 21L Vegetable Basket
- Ag Shield
- Anti Fungal Door Gasket



Cherry Moon

SJ-G19ST-BL/MR/BK

GROSS CAPACITY: 193L

NET CAPACITY: 175L

- Glass Door Finish
- Toughened Glass Shelves
- 21L Vegetable Basket
- Ag Shield
- Anti Fungal Door Gasket


AVAILABLE COLOR



Lunar Blue



Midnight Black





KEEPS YOUR FOOD FRESHER FOR
LONGER WITH ADVANCED
COOLING TECHNOLOGY

Single Door Refrigerator



Floral Fall Blue

SJ-DF225N2-PBF/PRF

GROSS CAPACITY: 203L

NET CAPACITY: 197L

- Big Vegetable Box
- Toughened Glass Shelves
- Connect Home Inverter
- Recess Handle
- Fast Ice Making
- Stabiliser Free Operation
- Anti-Bacterial Gasket

AVAILABLE COLOR



Floral Fall Red



Floral Fall Red

SJ-DF207N2-PRF/PRS/PRR/PBF/PBR

GROSS CAPACITY: 193L

NET CAPACITY: 187L

- Big Vegetable Box
- Toughened Glass Shelves
- Connect Home Inverter
- Recess Handle
- Fast Ice Making
- Stabiliser Free Operation
- Anti-Bacterial Gasket

AVAILABLE COLOR



Solid Red



Hibiscus Red



Floral Fall Blue



Hibiscus Blue



Mini Refrigerator 92L



METAL BLACK

SJ-MRW101N2-PSS/PKS

GROSS CAPACITY: 93L

NET CAPACITY: 92L

- Big Vegetable Box
- Toughened Glass Shelves
- Recess Handle
- Fast Ice Making
- Stabiliser Free Operation
- Anti-Bacterial Gasket

AVAILABLE COLOR



METAL SILVER



Mini Refrigerator 50L



METAL SILVER

SJ-MRW055N3-PSS/PKS

GROSS CAPACITY: 52L


NET CAPACITY: 50L

- Big Vegetable Box
- Toughened Glass Shelves
- Recess Handle
- Fast Ice Making
- Stabiliser Free Operation
- Anti-Bacterial Gasket

AVAILABLE COLOR



METAL BLACK





Washing Machine

FOR HIGH-CAPACITY
& HYGIENIC CLEANING



SoftFall Lid

The soft door closing technology makes this washing machine look elegant and safe from pinched hands.



BIS Certified Toughened Glass

The washing machine door is not easily broken because it is made of quality Toughened Glass which is resistant to heavy loads.



Washing Machine

Sleek design meets powerful cleaning for a seamless laundry experience.



ES-T75N-BK/GY 7.5KG

- 5-star Energy Efficient
- Waterfall Wash
- 10 Wash Program
- Stainless Steel Insert pulsator
- Add Laundry Program
- Hot & Cold Wash

AVAILABLE COLOR



Powerful Cleaning



One Touch Start



Certified



7 YEARS COMPREHENSIVE WARRANTY



10 YEARS MOTOR WARRANTY



ES-T80N-SL 8.0KG

- 5-star Energy Efficient
- Waterfall Wash
- 10 Wash Program
- Stainless Steel Insert pulsator
- Add Laundry Program
- Hot & Cold Wash



Powerful Cleaning



One Touch Start



Certified



7 YEARS COMPREHENSIVE WARRANTY



10 YEARS MOTOR WARRANTY



ES-T90N-BK/GY 9.0KG

- 5-star Energy Efficient
- Waterfall Wash
- 10 Wash Program
- Stainless Steel Insert pulsator
- Add Laundry Program
- Hot & Cold Wash

AVAILABLE COLOR



Powerful Cleaning



One Touch Start



Certified



7 YEARS COMPREHENSIVE WARRANTY



10 YEARS MOTOR WARRANTY



ES-T100N-BK 10KG

- 5-star Energy Efficient
- Waterfall Wash
- 10 Wash Program
- Stainless Steel Insert pulsator
- Add Laundry Program
- Hot & Cold Wash



Powerful Cleaning



One Touch Start



Certified



7 YEARS COMPREHENSIVE WARRANTY



10 YEARS MOTOR WARRANTY



ES-T110N-BK/GY 11KG

- 5-star Energy Efficient
- Waterfall Wash
- 10 Wash Program
- Stainless Steel Insert pulsator
- Add Laundry Program
- Hot & Cold Wash

AVAILABLE COLOR



Powerful Cleaning



One Touch Start



Certified



7 YEARS COMPREHENSIVE WARRANTY



10 YEARS MOTOR WARRANTY





Magic Filter

This advanced filter captures lint and particles during the wash cycle, ensuring your garments come out cleaner and fresher every time.



Hydroshield Panel

Shields the control panel from water splashes, ensuring durability and long-lasting performance.





ES-SD70NB-FR 7.0KG

- 5 Star Energy Efficient
- Buzzer
- E-Spin Pulsator
- NeoClean Filter
- Japan 7 Shield
- Fixed Opaque Lid



ES-SD70NB-PS 7.0KG

- 5 Star Energy Efficient
- Buzzer
- E-Spin Pulsator
- NeoClean Filter
- Japan 7 Shield
- Transparent Lid



ES-SD70NB-PR 7.0KG

- 5 Star Energy Efficient
- Buzzer
- E-Spin Pulsator
- NeoClean Filter
- Japan 7 Shield
- Transparent Lid



ES-SD70NB-FB 7.0KG

- 5 Star Energy Efficient
- Buzzer
- E-Spin Pulsator
- NeoClean Filter
- Japan 7 Shield
- Transparent Lid



ES-SD75NB-TS 7.5KG

- 5 Star Energy Efficient
- 4 Knobs Control panel
- E-Spin Pulsator
- HydroRing Filter
- Japan 7 Shield





PUREWAVE Series
Plus

ES-SD90NB-PR 9.0KG

- 5 Star Energy Efficient
- Buzzer
- Hydro Blast Wash
- Quadroniq Pulsator
- Lint Lock Filter
- Water Level Adjustor
- Japan 7 Shield



ES-SD80NB-TR 8.0KG

- 5 Star Energy Efficient
- Buzzer
- WaveDry Ring
- NeoClean Filter
- Japan 7 Shield
- Quadroniq Pulsators



ES-SD80NB-TS 8.0KG

- 5 Star Energy Efficient
- Buzzer
- WaveDry Ring
- NeoClean Filter
- Japan 7 Shield
- Quadroniq Pulsators



ES-SD90NB-TS 9.0KG

- 5 Star Energy Efficient
- WaveDry Ring
- Hydro Blast Wash
- Japan 7 Shield
- Quadroniq Pulsators
- Buzzer
- Water Level Adjustor
- Lint Lock Filter





NEW


ES-SD120NB-TW 12.0KG

- 5 Star Energy Efficient
- AquaSonic Pulsator
- Hydro Blast Wash
- Wave Dry Ring
- Buzzer
- Lint Lock Filter
- Water Level Adjustor
- Japan 7 Shield



ES-SD140NB-TS 14.0KG

- 5 Star Energy Efficient
- Buzzer
- Hydro Blast Wash
- Water Level Adjustor
- AquaSonic Pulsator
- Wave Dry Ring
- Lint Lock Filter
- Japan 7 Shield



PUREWAVE Series
Ultra



NEW

ES-SD75NB-TR 7.5KG

- 5 Star Energy Efficient
- Toughened Glass Lid
- Soft Fall Lid
- Superior Aesthetics with glass pattern
- E-Spin Pulsator
- 4 Knobs Control Panel
- HydroRing Filter
- Japan 7 Shield
- Buzzer



ES-SD80NB-HS 8.0KG

- 5 Star Energy Efficient
- Toughened Glass Lid
- Soft Fall Lid
- Quadroniq Pulsators
- NeoClean Filter
- Buzzer
- Japan 7 Shield



Semi-Automatic Washing Machine


DESIGNED FOR ULTIMATE COMFORT, & EASE

Sharp's range of Semi Automatic Washing Machines brings innovative force that supports lifelong washing sessions, is hard on stains, and is durable.



Quadroniq Pulsator

The Quadroniq Pulsator system uses four mini pulsators to create dynamic water waves, ensuring a deeper clean.



Soft Fall Lid

The lid closes gently to prevent damage, injury, and noise, ensuring a quieter laundry experience.





ES-SD80NB-HR 8.0KG

- 5 Star Energy Efficient
- Toughened Glass Lid
- Soft Fall Lid
- Quadroniq Pulsators
- NeoClean Filter
- Buzzer
- Japan 7 Shield



NEW

ES-SD90NB-GS 9.0KG

- Toughened Glass Lid
- Hydro Shield Panel
- Soft Fall Lid
- Quadroniq Pulsators
- Lint Lock Filter
- Hydro Blast Wash
- Water Level Adjuster
- Premium Aesthetics with Floral Pattern



NEW

ES-SD120NB-HS 12.0KG

- 5 Star Energy Efficient
- Hydro Blast Wash
- AquaSonic Pulsator
- Toughened Glass Lid
- Soft Fall Lid
- Buzzer
- Lint Lock Filter
- Water Level Adjustor
- Japan 7 Shield



NEW

ES-SD140NB-GS 14.0KG

- 5 Star Energy Efficient
- Hydro Blast Wash
- AquaSonic Pulsator
- Toughened Glass Lid
- Soft Fall Lid
- Buzzer
- Lint Lock Filter
- Water Level Adjustor
- Japan 7 Shield





Air Purifiers STYLE YOUR SPACE WITH A BREATH OF PURITY.

Blending functionality with aesthetics, the PureFit Air Purifier enhances any space while delivering fresh, natural air with patented Plasmacluster Ion Technology.



Coanda Airflow

Creates the Coanda Effect for more effective air circulation and efficient temperature distribution.

Air Purifiers - Pure Fit Series



FX-S120M-H/W

- Coverage area (Sq Ft): 930
- Filter life*: upto 2 years
- Air flow / CADR (m³/hr): 702
- Dual Section Compact footprint



FP-S42M-L

- Coverage area (Sq Ft): 323
- Dual Section Compact footprint
- Air flow / CADR (m³/hr): 240
- Filter life*: upto 2 years



FP-S40M-T/W

- Coverage area (Sq Ft): 323
- Dual Section Compact footprint
- Air flow / CADR (m³/hr): 240
- Filter life*: upto 2 years






— FX-J80M-H

- Coverage area (Sq Ft): 680
- Filter life*: upto 2 years
- Air flow / CADR (m³/hr): 480
- Washable 10 micron Pre Filter



— FP-J80M-H

- Coverage area (Sq Ft): 680
- Filter life*: upto 2 years
- Air flow / CADR (m³/hr): 480
- Washable 10 micron Pre Filter



— FP-J60M-W

- Coverage area (Sq Ft): 550
- Filter life*: upto 2 years
- Air flow / CADR (m³/hr): 396
- Washable 10 micron Pre Filter



— FP-J52M-W

- Coverage area (Sq Ft): 430
- Filter life*: upto 2 years
- Air flow / CADR (m³/hr): 306
- Washable 10 micron Pre Filter





— FP-JA30M-B

- Coverage area (Sq Ft): 250
- Filter life*: upto 2 years
- Air flow / CADR (m³/hr): 180



— FP-J30M-BK

- Coverage area (Sq Ft): 250
- Filter life*: upto 2 years
- Air flow / CADR (m³/hr): 180



— FP-F40E-T

- Coverage area (Sq Ft): 320
- Filter life*: upto 2 years
- Air flow / CADR (m³/hr): 240



— FP-F40E-W

- Coverage area (Sq Ft): 320
- Filter life*: upto 2 years
- Air flow / CADR (m³/hr): 240



INDIA'S
1st
CONVERTIBLE
Air purifier & Dehumidifier



Dehumidifier & Humidifier
MANAGES HUMIDITY FOR
PLEASANT INDOOR AIR

Air Purifier with Dehumidifier



DW-T30F-W/H

- Coverage area (Sq Ft): 830
- Filter life*: upto 10 years
- Air flow / CADR (m³/hr): 331
- Dehumidification capacity: 30L/day



DW-J27FM-S

- Coverage area (Sq Ft): 720
- Filter life*: upto 5 years
- Air flow / CADR (m³/hr): 306
- Dehumidification capacity: 27L/day



DW-J20FM-W

- Coverage area (Sq Ft): 550
- Filter life*: upto 5 years
- Air flow / CADR (m³/hr): 258
- Dehumidification capacity: 20L/day



Dehumidifier with Plasmacluster



DW-T30HM-W

- Laundry mode
- Coverage area (Sq Ft) : 830
- Dehumidification capacity: 30L/day
- Filter life*: upto 10 years



DW-P10M-W


- Laundry mode
- Dehumidification capacity: 10L/day
- Coverage area (Sq Ft) : 250






Illustration of Plasmacluster in eliminating microbes.

*Plasmacluster ions can last a long time because they are surrounded by water molecules




ions are produced

Plasmacluster ions are produced by breaking down water vapor (H_2O) molecules present in the air.



ion-ion acts against bacteria and fungi in the air

hydroxyl ions (OH) are very easily oxidized when attached to the surface of bacteria and fungi, directly taking hydrogen (H^+) from the surface of the protein and destroying it.



The damaged components will return to the air in the form of water vapor

Hydroxyl (OH) will combine with hydrogen (H^+) in the form of water vapor (H_2O) in the air.



— IG-GC2E-B/N

- Fits in cup holder
- Life long filter
- Removes odor
- Colour: black & gold



SUV/
Sedan



USB
Connectivity



PM10
Filter



Easy
Installation



Low
Noise

— IG-NX2M-A

- Coverage area: portable
- Life long filter
- Removes odor



SUV/
Sedan



USB
Connectivity



PM10
Filter



Easy
Installation



Low
Noise



Hair Dryer with Plasmacluster



— IB-NP7N-P

- Heavy Duty: 1800W
- Lightweight and Handy: 535 gram only
- Improves scalp, smoothens hair and reduces tangling



Safe for
children



Low
Noise



Less stress on
hair & scalp



Easy
Installation



Protect from
Cuticle damages

NOTE: *THE FILTER LIFE MAY VARY ACCORDING TO USE AND ENVIRONMENT CONDITIONS



High-Density Plasmacluster Ions Remove Airborne Mold and Viruses

Plasmacluster is Sharp's unique sanitizing technology that purifies the air by emitting highly safe positive and negative ions of the same type found in nature. It sanitizes and purifies suspended airborne mold, viruses, and allergens. The benefits have been proven by official test institutions in Japan and around the world.



Microwave

**CARVED FOR ALL THE
FEATURES YOU CRAVED**

Microwaves



R-929KN-K

29L

CONVECTION

- 400+ Autocook menus
- Stainless steel cavity
- Healthy fry
- Jog dial



R-827KN-K

27L

CONVECTION

- 300+ Autocook menus
- Stainless steel cavity
- Healthy fry
- Touch control



R-625KN-K

25L

GRILL + SOLO

- Ceramic coated cavity
- Defrost by weight and time.
- Jog dial
- Quick start



R-220KN-K

20L

SOLO

- Ceramic coated cavity
- Quick start
- Touch keypad
- Defrost by weight and time.



Without Frying



Stir-fried chicken with cashew nuts



Grilled salmon with vegetables.

Steam & Boil | Steam multiple foods at once.



Steamed eggs, shrimp and asparagus.

The secret to automatic cooking is superheated steam and temperature sensors.

A regular steam oven only turns water into steam, but Sharp fills the oven with superheated steam at the beginning of the process. The injection of superheated steam penetrates deep into the ingredients. Superheated steam can transfer heat at lower temperatures, allowing it to cook both chilled and room-temperature foods simultaneously. The combination of temperature sensors and superheated steam enables cooking and monitoring of ingredients at the same time.

*1. Cooking results depend on the type and shape of the food. The total weight of ingredients is approximately 1 kg.

*2. Selection of frozen or non-frozen ingredients is required.



With superheated steam, the lower the temperature of the food being cooked, the more evenly the heat is distributed



The temperature sensor is able to adjust the heating time based on the amount of ingredients being cooked.



Small Kitchen Appliances

TASTE OF GOOD HEALTH WITH UTMOST CONVENIENCE

SHARP Kitchen Appliances are designed to offer you the utmost convenience and healthiest food, without compromising taste and flavour, so you can make the most of your food and your time.

Stand Mixer



EM-S34N-W

- 5 Speed + Turbo
- Blade material: stainless steel
- Body material: plastic body
- Colour: white + black



5 Speed
+ Turbo



3.4L Stainless
Steel Bowl



High Power
DC Motor



Eject Button
For Easy Removal



Multiple
Attachments

Hand Mixer



EM-H50N-W

- 5 Speed + Turbo
- Body material: plastic body
- Speed control function
- Colour: white + gray



5 Speed
+ Turbo



High Power
DC Motor



Body with
SS Wrap



Eject Button
For Easy Removal



Multiple
Attachments

Electric Kettle



EKJ-15DN-B / EKJ-18WN-S

- Capacity: 1.5L / 1.8L
- Stainless steel (1.8L / 1.5L)
- Colour: glossy black / silver
- Double layered glossy finish (1.5L)



Stainless
Steel Body



Double
Layer Body



Auto Lid
Opening



Dry Boil
Protection



Easy to
Clean



Auto
Cut Off

Bread Maker



PE-105-CS

- Loaf size: 1.5LB / 2LB
- 13 Program menu
- Jam and chutney maker
- Dispenser for fruits and nuts



Quick Dough
Mode



Make Different
Breads



Full Auto
Function



Jam
Maker



Adjustable
Browning Control



A CULINARY HUB WHERE
TASTE AND HEALTH
MIX EFFORTLESSLY

Juicer Mixer Grinder



EM-G71N-M / EM-G101N-M

- Wattage: 1000W / 750W
- 100% Copper motor
- SS-304 grade blade
- Sturdy lid locks



Easy Clean



Voltage 220-240V



3 Speed + Pulse Mode



Stainless Steel Blades



Powerful Motor



Auto Cut-Off



EM-JG51N-W

- Wattage: 500W
- Hybrid Copper motor
- SS-304 grade blade
- Multiple jars



Easy Clean



Voltage 220-240V



3 Speed + Pulse Mode



Stainless Steel Blades



Powerful Motor



Auto Cut-Off

Juicer Mixer Grinder with Blender



EM-JG71N-G / EM-JG101N-G

- Wattage: 750W / 1000W
- 100% Copper motor
- SS-304 grade blade
- Sturdy lid locks



Easy Clean



Voltage 220-240V



3 Speed + Pulse Mode



Stainless Steel Blades



Powerful Motor



Auto Cut-Off

Twin Cooker



KN-TC50VI-SL

- Capacity: 5L (2.5 x 2)
- 12 Auto cook modes
- Manual mode: 35°C-175°C
- Cook 4 dishes at once



Cook 4 Dishes at Once



Touch Control Operations



Saves Energy



Saves Time



Delay Timer Option

Water Purifier

PURE WATER AT ITS PUREST



SHARP Water Purifier is deployed with high-grade filtration systems, state-of-the-art purification, and the best quality filters ensuring not just clean water, but the cleanest you'll ever sip.

RO+UV Water Purifier



WJ-RR065V-WS

- 7 stage advanced filtration
- Cerosilver filtration
- In-tank UV LED
- Wall-mounted & counter top



Smart Sense
Indications



Eco-friendly
Material



6 L Tank
Size



Overflow
Protection



1 Year
Warranty



Auto
Start



BIS
Certified

UV Water Purifier



WJ-US004B-ES

- 5 stage advanced filtration
- Cerosilver filtration
- Touch Dispenser
- Zero Water Wastage
- Wall-mounted & counter top
- Chemical-free Purification



Eco-friendly
Material



BIS
Certified



Dual Touch
Technology



Halo
Effect



1 Year
Warranty



Auto
Start

Puresip & Pitcher



WJ-BS011B-EB/ER

- NanoFlux Cartridge
- Food Grade Sustainable Materials
- Advanced UFM Technology
- Chemical-Free Purification



Easy Squeeze
Design



BPA Free
Material



Upto 750L
of Purification



WJ-100K

- No electricity required
- Protection from water micro-bacteria
- No water contamination



BPA Free
Material



Upto 120 gallons
of Purification

SHARP Eco Vision 2050

The international community has recognized the urgent need to address increasingly serious environmental problems. To this end, Sharp formulated SHARP Eco Vision 2050, a long-term environmental vision. Sharp is working towards realizing a sustainable global environment by pursuing long-term goals set in three fields of action with 2050 as the target year: Safety & Security, Climate change, and Resource Recycling.



It is precisely because Sharp makes products that use electricity that we work to reduce energy consumption, produce clean energy, and contribute to the realization of a low-carbon society.



We strive to make effective use of the world's finite resources and help build a circular economy in which plastics and other materials are reused.




Sharp is focused on building safe, reliable, and durable technology. We work to enhance protection, prevent hazards, and contribute to a secure and sustainable future.



SPREADING *SMILES* THROUGH *INNOVATION*

OUR PRESENCE IN INDIA



HEAD OFFICE - NOIDA


3rd Floor, Add India Centre, Sector-125,
Noida-201301, Uttar Pradesh

☎ 0120-335-8888

✉ contact@sharp-oa.com

REGISTERED OFFICE – NEW DELHI

Plot No 211, Innov-8, Third Floor, Oxford
Infotech Park LLP, Okhla Industrial Estate,
Phase III, New Delhi- 110020



SHARP

In step with your future.



Follow Us :



1800 - 419 - 4322



Contact@sharp-oa.com



in.sharp
store.sharpappliances.in



3rd Floor, Add India Centre, Plot No. 9, Sector - 125, Noida, U.P. 201301.

